

October 12, 2004  
Case No. GP-301932 (2760/39)  
Serial No.: 10/001,941  
Filed: November 30, 2001  
Page 3 of 20

**CLAIM AMENDMENTS**

A listing of the entire set of pending claims 1-19 is submitted herewith per 37 C.F.R. §1.121. This listing of claims 1-19 will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A method for remotely routing a voice call forwarded to a first telematic device as facilitated by a call state of the voice call, said method comprising:

maintaining a the call state of the voice call in response to an answering by the first telematic device of one or more call forwarding rings indicative of the voice call; and

forwarding the voice call to either a voice mail module, a second telematic device or a telecommunication device as facilitated by the maintaining of the call state in response to a failure of a user of the first telematic device to answer one or more fake rings indicative of ~~the voice call~~ the answering of the one or more call forwarding rings by the first telematic device.

2. (Currently Amended) The method of claim 1, further comprising:

monitoring ring back tones provided by the first telematic device in response to answering the one or more call forwarding rings,

wherein the voice call is forwarded to either the voice mail module, the second telematic device or the telecommunication device as facilitated by the maintaining of the call state in response to a failure of a user of the first telematic device to answer the one or more fake rings after a prescribed number of ring back tones.

October 12, 2004  
Case No. GP-301932 (2760/39)  
Serial No.: 10/001,941  
Filed: November 30, 2001  
Page 4 of 20

3. (Currently Amended) The method of claim 1, further comprising:  
initiating a timer in response to the answering of the one or more call forwarding rings by the first telematic device,  
wherein the voice call is forwarded to either the voice mail module, the second telematic device or the telecommunication device as facilitated by the maintaining of the call state in response to the first telematic device dropping the voice call within a prescribed timer window.
4. (Original) The method of claim 1, further comprising:  
providing an announcement to a caller of the voice call, the announcement indicating the forwarding of the voice call to the first telematic device.
5. (Currently Amended) The method of claim 1, further comprising:  
playing music for a caller of the voice call at call while maintaining the call state of the voice call.
6. (Currently Amended) The method of claim 1, further comprising:  
running an advertisement for a caller of the voice call at call while maintaining the call state of the voice call.

October 12, 2004  
Case No. GP-301932 (2760/39)  
Serial No.: 10/001,941  
Filed: November 30, 2001  
Page 5 of 20

7. (Currently Amended) A method for remotely routing a voice call forwarded to a first telematic device as facilitated by a call state of the voice call, said method comprising:

maintaining ~~a~~ the call state of the voice call in response to an answering by the first telematic device of one or more call forwarding rings indicative of the voice call;

monitoring ring back tones provided by the first telematic device in response to answering the one or more call forwarding rings; and

forwarding the voice call to either a voice mail module ~~either a voice mail module~~, a second telematic device or a telecommunication device as facilitated by the maintaining of the call state in response to a failure after a prescribed number of ring back tones of a user of the first telematic device to answer one or more fake rings indicative of the voice call the answering of the one or more call forwarding rings by the first telematic device after a prescribed number of ring back tones.

8. (Currently Amended) A method for remotely routing a voice call forwarded to a first telematic device as facilitated by a call state of the voice call, said method comprising:

maintaining ~~a~~ the call state of the voice call in response to an answering by the first telematic device of one or more call forwarding rings indicative of the voice call;

initiating a timer in response to the answering of the one or more call forwarding rings by the first telematic device; and

forwarding the voice call to either a voice mail module, a second telematic device or a telecommunication device as facilitated by the maintaining of the call state in response to the first telematic device dropping the voice call within a prescribed timer window.

October 12, 2004  
Case No. GP-301932 (2760/39)  
Serial No.: 10/001,941  
Filed: November 30, 2001  
Page 6 of 20

9. (Currently Amended) A device, comprising:

a call forwarding module operable to forward a voice call to a first telematic device as facilitated by a call state of the voice call; and

a voice portal operable to maintain ~~a~~ the call state of the voice call in response to an answering by the first telematic device of one or more call forwarding rings indicative of the voice call, said voice portal further operable to forward the voice call to either a voice mail module, a second telematic device or a telecommunication device as facilitated by a maintaining of the call state in response to a failure of a user of the first telematic device to answer one or more fake rings indicative of ~~the voice call~~ the answering of the one or more call forwarding rings by the first telematic device.

10. (Currently Amended) The device of claim 9, wherein:

said voice portal is further operable to monitor ring back tones provided by the first telematic device in response to answering the one or more call forwarding rings; and

said voice portal forwards the voice call to either the voice mail module, the second telematic device or the telecommunication device as facilitated by the maintaining of the call state in response to a failure of a user of the first telematic device to answer the one or more fake rings after a prescribed number of ring back tones.

11. (Currently Amended) The device of claim 9, wherein:

said voice portal is further operable to initiate a timer in response to the answering of the one or more call forwarding rings by the first telematic device; and

said voice portal forwards the voice call to either the voice mail module, the second telematic device or the telecommunication device as facilitated by the maintaining of the call state in response to the first telematic device dropping the voice call within a prescribed timer window.

October 12, 2004  
Case No. GP-301932 (2760/39)  
Serial No.: 10/001,941  
Filed: November 30, 2001  
Page 7 of 20

12. (Previously Presented) The device of claim 9, wherein:  
said voice portal is further operable to provide an announcement to a caller of the voice call, the announcement indicating the forwarding of the voice call to the first telematic device.
13. (Currently Amended) The device of claim 9, wherein:  
said voice portal is further operable to play music for a caller of the voice ~~all~~ call while maintaining the call state of the voice call.
14. (Currently Amended) The device of claim 9, wherein:  
said voice portal is further operable to run an advertisement for a caller of the voice ~~all~~ call while maintaining the call state of the voice call.
15. (Currently Amended) A device, comprising:  
a call forwarding operable to forward a voice call to a first telematic device as facilitated by a call state of the voice call; and  
a voice portal operable to maintain a the call state of the voice call in response to an answering by the first telematic device of one or more call forwarding rings indicative of the voice call,  
wherein said voice portal is further operable to monitor ring back tones provided by the first telematic device in response to answering the one or more call forwarding rings, and

October 12, 2004  
Case No. GP-301932 (2760/39)  
Serial No.: 10/001,941  
Filed: November 30, 2001  
Page 8 of 20

wherein said voice portal is further operable to forward the voice call to either a voice mail module ~~either a voice mail module~~, a second telematic device or a telecommunication device as facilitated by a maintaining of the call state in response to a failure after a prescribed number of ring back tones of a user of the first telematic device to answer one or more fake rings indicative of ~~the voice call~~ the answering of the one or more call forwarding rings by the first telematic device after a prescribed number of ring back tones.

16. (Currently Amended) A device, comprising:

a call forwarding operable to forward a voice call to a first telematic device as facilitated by a call state of the voice call; and

a voice portal module operable to maintain a the call state of the voice call in response to an answering by the first telematic device of one or more call forwarding rings indicative of the voice call,

wherein said voice portal is further operable to initiate a timer in response to the answering of the one or more call forwarding rings by the first telematic device, and

wherein said voice portal is further operable to forward the voice call to either a voice mail module, a second telematic device or a telecommunication device as facilitated by a maintaining of the call state in response to the first telematic device dropping the voice call within a prescribed timer window.

October 12, 2004  
Case No. GP-301932 (2760/39)  
Serial No.: 10/001,941  
Filed: November 30, 2001  
Page 9 of 20

17. (Currently Amended) A device, comprising:

means for maintaining a call state of the voice call in response to an answering by the first telematic device of one or more call forwarding rings indicative of the voice call; and

means for forwarding the voice call to either a voice mail module, a second telematic device or a telecommunication device as facilitated by the maintaining of the call state in response to a failure of a user of the first telematic device to answer one or more fake rings indicative ~~of the voice call~~ the answering of the one or more call forwarding rings by the first telematic device.

18. (Currently Amended) A device, comprising:

means for maintaining a call state of the voice call in response to an answering by the first telematic device of one or more call forwarding rings indicative of the voice call;

means for monitoring ring back tones provided by the first telematic device in response to answering the one or more call forwarding rings; and

means for forwarding the voice call to either a voice mail module ~~either a voice mail module~~, a second telematic device or a telecommunication device as facilitated by the maintaining of the call state in response to a failure after a prescribed number of ring back tones of a user of the first telematic device to answer one or more fake rings indicative ~~of the voice call~~ the answering by the first telematic device of the one or more call forwarding rings indicative of the voice call ~~after a prescribed number of ring back tones.~~

October 12, 2004  
Case No. GP-301932 (2760/39)  
Serial No.: 10/001,941  
Filed: November 30, 2001  
Page 10 of 20

19. (Currently Amended) A device, comprising:

means for maintaining a call state of the voice call in response to an answering by the first telematic device of one or more call forwarding rings indicative of the voice call;

means for initiating a timer in response to the answering of the one or more call forwarding rings by the first telematic device; and

means for forwarding the voice call to either a voice mail module, a second telematic device or a telecommunication device as facilitated by the maintaining of the call state in response to the first telematic device dropping the voice call within a prescribed timer window.